

August 01, 2021

To,

The Principal  
Sumantai Wasnik Institute of Nursing  
Nagpur

Sub : Association with your institute for clinical practical training of your B.B.Sc. students


Dear Sir / Madam,


This is to confirm you that we are renewing B.B.Sc. students clinical practical training contract for the internship for the period from August 01, 2021 to July 31 ,2022.

This agreement is purely non – commercial hence we don't charge any fees from institute / students.

Thanking you .

For Wockhardt Hospitals Ltd.

  
Abhinandan Dastanavar  
Centre Head

  
PRINCIPAL  
SUMANTA! WASNIK  
INSTITUTE OF NURSING  
NAGPUR



# NAGPUR MUNICIPAL CORPORATION, NAGPUR

(HEALTH DEPARTMENT)



FORM-C


Certificate of Registration under Section 5 of Bombay Nursing Home Registration Act, 1949 (rule 5)

## Nursing Home Registration Certificate

This is to certify that Shri/Smt. Director (Wockhardt Hospital Ltd.) has been registered under the Bombay Nursing Home Registration Act 1949 in respect of Wockhardt Hospital situated at 1643, Rashtrabhasha Sankul, North Ambazari Road, Shankar Nagar Square, Nagpur and has been authorized to carry on the said nursing home.

Registration No. : 750	Maternity : 5 Beds
Date of Registration : 29/09/2007	Other Nursing : 113 Beds
Place : Nagpur	
Date of issue of certificate : 01/04/2020	

**This certificate of registration shall be valid up to 31<sup>st</sup> March 2023.**



*(Signature)* 23/4/2020  
 Registering Authority  
 Medical Officer Health  
 Nagpur Municipal Corporation

This Certificate of Registration should be displayed at prominent place.



# Maharashtra Pollution Control Board 615eba097060564eb165af11

## MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781  
Fax: 24024068/24023515  
Website: <http://mpcb.gov.in>  
Email: [psob@mpcb.gov.in](mailto:psob@mpcb.gov.in)



Kalpataru Point, 2nd and  
4th floor, Opp. Cine Planet  
Cinema, Near Slon Circle,  
Slon (E), Mumbai-400022

RED/L.S.I

No:- Format1.0/PSO/UAN No.0000104685/CR 2110000370

Date: 07/10/21

To,  
Wockhardt Hospital  
Plot No. 1643, North Ambazari Road, Shankar Nagar  
Nagpur,  
Nagpur-440033  
Email: [prasad.upasanl@wockhardthospitals.com](mailto:prasad.upasanl@wockhardthospitals.com)  
Contact No.: 7768873300



*Renewal of Combined Consent and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.*

- Ref:**
1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no.1712001061
  2. Your application for Combine Consent and Bio-Medical Waste Authorization recieved to MPCB, HQ dated 26/02/2021
  3. Minutes of 1st CC meeting held on 22.04.2021.
  4. This office mail dtd 03.05.2021, 26.07.2021 & 06.08.2021
  5. Minutes of Personal Hearing extended before MS, MPCB dtd 28.07.2021 at 2.20 pm.
  6. Your reply dtd 06.08.2021 & 20.09.2021

After examining the proposal, The Maharashtra Pollution Control Board hereby Renew Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Authorization under Rule 5 of the Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, Under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedules(I-IV) and Annexures (I-II)** enclosed in this order.

1. 31.10.202031-10-2020 To 31-10-2021
2. The capital investment of the HCF is ₹5127.00 Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 4107.32 M<sup>2</sup> with Built-up area 6796.27 M<sup>2</sup>.
4. **Activities Included**
  - A. Total Number of Beds : **118 Nos** (As per BNH certificate no. 750 valid upto 31-03-2023)

(4)



**5. Conditions under the Water (P&CP) Act, 1974:-**

- Quantity of total water consumption shall not exceed 65.00 M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
- You shall provide adequate treatment & disposal facility for sewage & Effluent generated as specified in **Annexure-I**
- You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

**6. Conditions under the Air (P&CP) Act, 1981:-**

- You shall use the fuel for DG set as specified in the **Annexure-II**.
- You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
- You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

**7. Conditions under Hazardous Waste (M & TM) Rules 2016:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated i.e. ETP sludge in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity (MT/Annum)	Disposal
1	35.3 Chemical sludge from waste water treatment	35.3	As per Actual	CHWTSDF

**8. Conditions under Solid Waste Management rules 2016 (As Amended, 2018 and 2019):-**

- You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
- You shall Not mix general solid waste with Bio Medical Waste.


**9. Conditions under BMW Management rules, 2016 (As Amended, 2018 and 2019):-**

- You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
- You shall segregate and handover BMW to BMW T&D CTF **Superb Hygienic Disposals** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
- Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
- Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" ([www.cpcb.nic.in](http://www.cpcb.nic.in)).

Maharashtra Pollution Control Board  
615eba097060564eb165af11

10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. As per the report of SRO Nagpur-I, Bank Gurantee of Rs.2.0 lakh is eligible for forfeiture towards not installing STP as per the earlier CCA condition and double BG of Rs.4.0 Lakh is imposed.

For and on behalf of the  
Maharashtra Pollution Control Board.

  
(Ashok Shingare, IAS)  
Member Secretary

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	500000.00	MPCB-DR-2594	29/10/2020	NEFT
2	25000.00	MPCB-DR-4279	15/02/2021	NEFT
3	25000.00	MPCB-DR-3499	27/12/2020	NEFT

The remaining fee of Rs 4.30 lakh with board shall be considered for further renewal of CCA.

Copy to:

1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer, MPCB, Nagpur I  
- You are directed to ensure the compliance of the consent conditions and BG imposed.
2. Chelf Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

A. Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)  
Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	45.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	20.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	15	As per clause 'C'	100% Recycle
2	Trade effluent	12	As per clause 'C'	100% Recycle

- C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable	
		Limiting Concentration in mg/except for pH	
1	pH	6.5-9.0	
2	Oil & Grease	10	
3	BOD (3 days 27°C)	30	
4	COD	250	
5	Total Suspended Solids	100	
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent	

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

**Annexure - II**

**Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	DG set 725 & 250 KVA	Diesel	160.00 Ltr/Hr	15.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
  - a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
  - b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - f. D.G. Set shall be operated only in case of power failure.
  - g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

**SCHEDULE-I**

**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation, Segregation of Bio-Medical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	250.00	Yellow coloured non-chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	950.00		
		d) Expired or Discarded Medicines	150.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	50.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	125.00	Yellow coloured non-chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	150.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	1200.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF
3	White (Translucent)	Waste sharps including Metals	120.00	Puncture proof, Leak proof, tamper proof container.	
4	Blue	a) Glassware	230.00	Cardboard boxes with Blue coloured marking.	
		b) Metallic body implants	100.00		



SCHEDULE-II

**Responsibilities of the HCE Owner and CTF Operator of the Facility**

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Superb Hygienic Disposals** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Nagpur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).
19. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 120 days of expiry.

**SCHEDULE-III**

**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
<b>1A Operation and Maintenance</b>			
1	To Segregate and Handle BMW as per Schedule I	Continuous	50,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
<b>1B Records</b>			
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	25,000.00
2	To maintain records of BMW handed over to CBMWTFD	Continuous	25,000.00
<b>2 Performance</b>			
1	To install STP for treatment of sewage	Three	400,000.00
<b>Total</b>			5,50,000.00

**Note: You shall extend the above submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.**



SCHEDULE-IV

**General Conditions**

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Nagpur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.




12

Maharashtra Pollution Control Board  
615eba097060564eb165af11

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.

**For and on behalf of the  
Maharashtra Pollution Control Board.**

  
**(Ashok Shingare, IAS)  
Member Secretary**



# SUMANTAI WASNIK INSTITUTE OF NURSING

## NAGPUR

### DETAILS OF AFFILATED HOSPITAL

1} Name of affiliated Hospital:-

Address:- *Wockhardt Hospital*

Telephone Number: *8605604444*

Distance from college: *7.1*-----Kms.

Number of Beds registered as per BNH Act :- *118 Beds*

2} Total constructed area of Hospital Building: *60,000*----- Sq ft

3} Hospital Administration Block :-

- Deputy Superintendent room :-
- Medical officers room :-
- Matron room :-
- Assistant Matron room :-
- Reception :-
- Registration room :-
- Others :-

} *1500 Sq ft.*

*R. Balhara*  
**PRINCIPAL**  
 SUMANTAI WASNIK  
 INSTITUTE OF NURSING  
 NAGPUR

4} Out Patient Department (OPD) :-

Total area of OPD Complex ----- 1944 ----- Sq ft

No of OPD'S ----- 24 -----

5} In Patient Departments (IPD) :-

Total area of IPD Complex ----- 58,056 ----- Sq ft

No of IPD'S Department ----- As per attached sheet -----

Bed Distribution :-

As per the attached sheet.

6} Operation Theatres Block :-

Total area of OT Block ----- 1360 ----- Sq ft

No of OT'S available ----- 4 -----

7} Casualty facilities :-

State Government Permission Letter

*R. Jadhav*

PRINCIPAL  
SUMANTAI WASHNIK  
INSTITUTE OF NURSING  
NAGPUR

8} Central Clinical Laboratory :-

Pathology, Biochemistry and Microbiology :-

Attached Toilet :- Available (Available/Not Available) ✓

ECG Facility :- Available

Other investigations facilities :- -----

9} Radiology and Sonography section :- Available

10} Labour Room :- 01 (Available/Not Available) ✓

With all facilities

Date :- 04.05.2022

Place:- Nagpur



*Sumanta Wasnik*

PRINCIPAL  
SUMANTA WASNIK  
INSTITUTE OF NURSING  
NAGPUR

1	No of beds	118 Beds
2	Average no of patients attending OPD per month	4500 per Month
3	Average no of deliveries per month	N/A
4	Average no of abnormal deliveries per month	N/A

Sr no	Ward	No of beds
1	Medical ward	44
2	Surgical ward	14
3	Casualty	5
4	Major OT	4
5	Minor OT	1
6	Dental	1
7	Eye/ENT	-
8	Burns and plastic	-
9	Neonatology with nursery	-
10	Communicable disease	6
11	Community health nursing	-
12	Cardiology	06
13	Oncology	-
14	Neurology/ neuro surgery	10
15	ICU/CCU	23
16	Pediatric ward	-
17	Gynecology ward	5
18	Ortho	10
19	Any other	

*R. S. Dhar*

PRINCIPAL  
SUMANTA WASNIK  
INSTITUTE OF NURSING  
NAGPUR





Regd. No. MAH/321/94 Nagpur, F-11659 (N)

INDIAN YOUTH WELFARE MULTIPURPOSE SOCIETY'S  
**SUMANTAI WASNIK INSTITUTE OF NURSING**

DHABHA, NAGPUR - 440023  
Tel. No. : 0712-6505666

e-mail : swcon1@yahoo.in  
sumantaiwasnikinstitute@gmail.com  
Website : http://www.swconnagpur.org

Ref. No. SWCN/3060/2022

Date: 27/04/2022

To,

The center Head  
Wardha Hospital  
Shankarnagar, Nagpur

Nagpur

**Subject :- Regarding requesting to provide information regarding your hospital for the purpose of filling it in the MUHS, Nashik Inspection format for our college....**

Respected Sir/Madam,

With due respect, this is to bring to your kind notice that, Inspection by MUHS, Nashik University is due for our college.

As part of requirement for filling in the inspection proforma, the information about your hospital is required.

I request you to kindly provide the information about your esteemed hospital in the attached format.

I will be highly obliged to you if you will kindly do the needful at your earliest convenience.

Thanking you

Yours sincerely

*R. Jadhav*

Principal  
PRINCIPAL  
SUMANTAI WASNIK  
INSTITUTE OF NURSING  
NAGPUR

Enclosures:- Format to be filled

*R. Jadhav*

PRINCIPAL  
SUMANTAI WASNIK  
INSTITUTE OF NURSING  
NAGPUR

