

# Society for Psychiatric Update and Research

(Trust Reg. No. F. 7725/AU Dt. 26-11-2002)

Shanti Nursing Home, Kanchanwadi, Paithan Road, Aurangabad - 431 005.

☎: 0240 - 2379330, 2379331, 2379332, Fax : 0240 - 2379333.

E-mail : snh\_abad@rediffmail.com, shantinhome@sify.com

Date: 13/12/2021

To,  
The Principal,  
Sumantai Wasnik Institute of Nursing,  
Nagpur

Subject: Regarding granting affiliation to your college for Academic Year 2021 – 2022.


Respected Sir/Madam,


With due respect, this is to inform you that, we are giving permission for affiliation to your college for clinical posting in psychiatry of third year basic B.Sc. Nursing students of your college at Society for Psychiatric Update & Research, Shanti Nursing Home, Aurangabad for academic year 2021 – 2022, 2022 – 2023 and 2023 – 2024 (three years).


We hope this association proves to be fruitful for you institution and students abide by the rules and regulations of the hospital.


Thanking you.

Yours truly,

  
Mrs. Sai Chapalgaonkar  
(Administrator)



  
PRINCIPAL  
SUMANTAI WASNIK  
INSTITUTE OF NURSING  
NAGPUR



महाराष्ट्र MAHARASHTRA

2021

NAGPUR TREASURY  
ZB 442832

07 DEC 2021

Stamp Head Clerk / Sr. Clerk

NOTARIAL REG.  
 ENTRY NO. 9064  
 DATE 10-12-2021

MEMORANDUM OF UNDERSTANDING

The management of (here in after referred to as Nursing College) through their Authorized Officer Mr./Mrs. Dipti Wasnik Saxena Sumantai Wasnik Institute of Nursing, Shivpriya Nagar, Opp. Ganesh Nagar, Dabha, Nagpur – 440023 represented by its Chairman on one part,

AND

The Management of Society for Psychiatric Update and Research, Shanti Nursing Home, Kanchanwadi, Paithan Road Aurangabad 431 005 (here in after referred to as SPUR) through its President Dr. Vinay Laxmikant Barhale, on the other part.

Hereby, mutually execute an agreement which reads as under:

THAT

- 1. Sumantai Wasnik Institute of Nursing, Shivpriya Nagar, Opp. Ganesh Nagar, Dabha, Nagpur – 440023 is running a Nursing college affiliated to Sumantai Wasnik Institute of Nursing, Shivpriya Nagar, Opp. Ganesh Nagar, Dabha, Nagpur – 440023 and University since 2010 year.



*Radhar*  
 PRINCIPAL  
 SUMANTA WASNIK  
 INSTITUTE OF NURSING  
 NAGPUR



- As a part of the curriculum prescribed by Indian Nursing Council, New Delhi Nursing students need to take training in Psychiatry discipline.
- The SPUR will Provide such training (theory and practical either or both) to the Nursing students of the said college, in the discipline. 'PSYCHIATRY'
- The Sumantai Wasnik Institute of Nursing, Shivpriya Nagar, Opp. Ganesh Nagar, Dabha, Nagpur - 440023 will pay the Affiliation charges of Rs. 25,000/- (Twenty five thousand only) to SPUR at the time of permission granted for affiliation. The tuition fees have to be paid to the SPUR every year, at the time of posting commencement. The amount of tuition fees per student will be decided by the management of the Society.
- This agreement will be valid for a period of three years. Effective date will be the date of signing months, every year.
- The terms of this agreement are however, subject to revision/ modification after a period of 12 months, every year.
- This Agreement can be terminated by either party, by giving 45 days' notice in writing or proportionate amount in lieu thereof.

For: Sumantai Wasnik Institute of Nursing, Shivpriya Nagar, Opp. Ganesh Nagar, Dabha, Nagpur - 440023

*Dipti Wasnik Saxena*

Dr. Dipti Wasnik Saxena  
**CHAIRMAN**  
 (Chairman) **INDIAN YOUTH WELFARE**  
**MULTIPURPOSE SOCIETY**  
**NAGPUR.**  
 College Stamp

Place: *NAGPUR*  
 Date: *10 DEC 2021*

For Society for Psychiatric update and Research

*Shale*



Dr. Vinay L Barhale

(President)

Society Seal

Place: Aurangabad

Date:



Witness

*R. Tadhar*  
*13/12/2021*

*DR REBECCA TADHAV*  
 (Name)

Witness

*R. Tadhar*  
**PRINCIPAL**  
**SUMANTA! WASNIK**  
**INSTITUTE OF NURSING**  
**NAGPUR**

*Sai Chapalgaonkar*  
*13/12/12*  
*Mrs. Sai Chapalgaonkar*

(Name)

**ATTESTED**  
*Vivek K. Kolte*  
*10/12/2021*  
**VIVEK K KOLTE**  
**NOTARY**

NOTARY

NOTARY



# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781/24014701

Fax: 24024068 /24023515

Website: mpcb.gov.in

E-mail: pso@mpcb.gov.net



Kalpataru Point, 2<sup>nd</sup> - 4<sup>th</sup> Floor,  
Opp. Cine Planet Cinema,  
Near Sion Circle, Sion (E)  
Mumbai - 400 022

Red/LSI

Date: 29/01/2020.

Consent No: Format 1.0/BO/PSO/HOD- 200100 1977

To,  
M/s. Dr. Barhale Medical Centre Pvt. Ltd.,  
Gut No. 08, Shanti Nursing Home,  
Kanchanwadi,  
Paithan Road,  
Aurangabad.  
(Email: [snh\\_abad@rediffmail.com](mailto:snh_abad@rediffmail.com))

**Sub : Combined Consent to Operate & BMW authorization under RED Category.**

- Ref :**
- 1) Your BMW Authorization & Consent application submitted to MPCB, HQ, Sion, Mumbai on 23/07/2019.
  - 2) SCN issued on 31/08/2019.
  - 3) Personal hearing conducted on 21.11.2019.
  - 4) Refusal of CCA application dated 13.12.2019.
  - 5) Request application submitted by HCE for review of refusal dated 03.01.2020.
  - 6) Approval of Member Secretary dated 28.01.2020.

## Consent to Operate

under Section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981, Authorization under Rule 5 of the Hazardous Wastes Rules 2016 and Biomedical Waste Management Rules 2016 is considered and the consent is hereby granted subject to following terms and conditions and as detailed in the schedule I, II, III, IV & V annexed to this order:

1. The conditional Consent to Operate is granted for the period from 04.12.2017 to 04.12.2022.
2. The capital investment of the HCE is Rs. 5.18 Crore.  
(As per C.A. certificate submitted)
3. The Consent is valid for the Activity of -

Sr. No.	Activity	Beds
1	Hospital	80 Nos.
	a) Total Plot Area	4048.68 sq. mtrs
	b) Total Built up Area	791.81 sq. mtrs

M/s. Dr. Barhale Medical Centre Pvt. Ltd., Aurangabad



*Barhale*  
PRINCIPAL  
SUMANTA WASHNIK  
INSTITUTE OF NURSING  
NAGPUR



4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	---	As per Schedule -I	50% treated effluent recycle & reuse for gardening & remaining discharge into Municipal sewer.
2.	Domestic effluent	17.0	As per Schedule -I	

5. Conditions under Air (P&CP) Act, 1981 for air emissions:

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
1.	D.G. Set (62.5 KVA)	01 No.	As per schedule - II

6. Non-Hazardous Solid Wastes:

Sr. No.	Type of Waste	Quantity	UOM	Disposal
1	Sludge from Sewage Water treatment	As per Actual	MT/Year	-

7. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry

8. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.

9. This consent is issued subject to conditions mentioned below,

i) The "authorized Person" M/s. Dr. Barhale Medical Centre Pvt. Ltd., Aurangabad shall comply with the provisions of the Environment (Protection) Act, 1986, and Rules made there under.

ii) Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.

iii) If the built up area exceeds more than 20,000 sq. mtrs. and if the hospital is commissioned after 14.09.2006, the project proponent shall comply EIA Notification 14.09.2006 by obtaining Environment Clearance.

iv) You shall submit details of Management and Handling of outdated, discarded, unused **Cytotoxic drugs** generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) alongwith Annual Report to MPCB with a copy to CPCB before 30<sup>th</sup> June every year.

(iv) You shall manage the **Mercury Waste** in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website [www.cpcb.nic.in](http://www.cpcb.nic.in) dated: 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities".

M/s. Dr. Barhale Medical Centre Pvt. Ltd., Aurangabad



*[Handwritten signature]*

*[Handwritten signature]*

PRINCIPAL  
SUMANTA WASNIK  
INSTITUTE OF NURSING



- (v) You shall ensure phase out of chlorinated plastic bags, gloves and blood bags by HCEs within two years;
- (vi) You shall establish Bar code system within one year.
- (vii) You shall ensure that the liquid waste is treated and disposed by all the occupier or operator of a CBWTF in accordance with the Water Act, 1974.
- (viii) You shall maintain day to day basis and display the monthly record including Annual report on its website within two years from the date of notification.
- (ix) As per the report of SRO, Aurangabad - I, Bank Guarantee of Rs. 1,00,000/- submitted towards installation of ETP/STP for treatment of effluent is eligible to forfeit & you shall submit double Bank Guarantee of Rs. 2,00,000/- towards installation of ETP/STP for treatment of effluent.
- (x) You shall submit separate Bank Guarantee of Rs. 75,000/- towards compliance of condition mentioned at Annexure - IV to Regional Office, Aurangabad within 15 days.
- (xi) You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, Aurangabad for verification purpose.
- (xii) You shall submit application for renewal of Combined Consent and Biomedical waste authorization before 120 days along with appropriate fees.

For and on behalf of the  
Maharashtra Pollution Control Board

*(Signature)*  
(Dr. A. R. Supate)  
Principal Scientific Officer



Received Consent / Authorization fee of -

Sr. No.	Amount (₹)	Dr no.	Date
1	125000.00	TXN1907001931	22.07.2019
2	25000.00	TXN1907001935	22.07.2019
3	15000.00	5458556	04.01.2020

Copy to:

- 1. Regional Officer - MPCB, Aurangabad and Sub-Regional Officer - Aurangabad - I, MPCB - They are directed to ensure the compliance of the CCA conditions.
- 2. Chief Accounts Officer, MPCB, Mumbai- for information.

*(Signature)*

PRINCIPAL  
SUMANTA WASNIK  
INSTITUTE OF NURSING

M/s. Dr. Barhale Medical Centre Pvt. Ltd., Aurangabad



**Table 1**

**Table 1. Summary of the results of the 1998-1999 survey**

The following table shows the results of the 1998-1999 survey. The table is divided into two main sections: 'Summary of the results' and 'Detailed results'. The 'Summary of the results' section provides an overview of the findings, while the 'Detailed results' section provides a more in-depth analysis of the data. The table is organized into columns representing different variables and rows representing different categories. The data is presented in a clear and concise manner, allowing for easy comparison and interpretation of the results.

Variable	Category	Percentage
Age	18-24	15%
	25-34	25%
Gender	Male	55%
	Female	45%
Education	High School	30%
	College	70%
Income	< \$10,000	20%
	\$10,000 - \$20,000	40%
Marital Status	Married	60%
	Single	40%

The following table shows the results of the 1998-1999 survey. The table is divided into two main sections: 'Summary of the results' and 'Detailed results'. The 'Summary of the results' section provides an overview of the findings, while the 'Detailed results' section provides a more in-depth analysis of the data. The table is organized into columns representing different variables and rows representing different categories. The data is presented in a clear and concise manner, allowing for easy comparison and interpretation of the results.

Variable	Category	Percentage
Age	18-24	15%
	25-34	25%
Gender	Male	55%
	Female	45%
Education	High School	30%
	College	70%
Income	< \$10,000	20%
	\$10,000 - \$20,000	40%
Marital Status	Married	60%
	Single	40%



Official signature and stamp area at the bottom right of the page.



(8)

**Schedule-II**

**Terms & conditions for compliance of Air Pollution Control**

1. As per your application, you have proposed / provided the Air pollution control (APC) system and also proposed to erect/erected following stack (s) to observe the following fuel pattern-

Sr. No.	Stack Attached to	Height in meter	Type of Fuel	Quantity lit/hr
1	D.G. Set (62.5 KVA)	10.0	Diesel	10

2. The applicant shall provide stack of adequate height to operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm <sup>3</sup>
--------------------	---------------	------------------------

3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
5. Conditions for D.G. Set
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
  - Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - D.G. Set shall be operated only in case of power failure.
  - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.





**Schedule-III**

**Treatment and Disposal of Biomedical Waste generated from Hospital to CBMWTSDF**

The authorisation is granted for generation and disposal of Bio-Medical Waste (BMW) to CBMWTSDF in waste categories and quantities listed here in below:

Sr. No.	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	---	Yellow coloured non-chlorinated plastic bags	No onsite treatment of BMW is permitted. The above mentioned Bio medical Waste shall be sent to Common BMW Treatment & Disposal facility authorized by MPCB i.e. M/s. Watergrace products, CBMWTSDF, Aurangabad.
		b) Animal Anatomical Waste	---		
		c) Soiled Waste	03.0		
		d) Expired or Discarded Medicines	05.0		
		e) Chemical Waste	---	Separate collection system leading to effluent treatment system	
		f) Chemical Liquid Waste	---		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	05.0		
		h) Microbiology Biotechnology and other clinical laboratory waste	2.0	Autoclave safe plastic bags or containers	
2	Red	Contaminated waste (Recyclable)	25.0	Red coloured non-chlorinated plastic bags or containers	
3	White (Translucent)	Waste sharps including Metals	50.0	Puncture proof, Leak proof, tamper proof container	
4	Blue	a) Glassware	5.0	Leak proof and puncture proof boxes with Blue colored marking	
		b) Metallic body implants	---		



*[Handwritten Signature]*

*[Handwritten Name]*

**PRINCIPAL  
SUMANTA WASNIK  
INSTITUTE OF NURSING  
NAGPUR**



**Schedule-IV : Bank Guarantees**

Statement of conditions to be complied and Bank Guarantee imposed to ensure timely compliance to be observed by M/s. Dr. Barhale Medical Centre Pvt. Ltd., Aurangabad.

Sr. No.	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
I (A)	<b>Operation and maintenance</b>		
1	To segregate and handle BMW Rules,	Continuous	25,000/-
2	Operate and maintenance of combined wastewater treatment plant to achieve prescribed discharge standards	Continuous	25,000/-
I (B)	<b>Records</b>		
1	To maintain records of BMW and submission of Annual Report in Form - II. Before 30 <sup>th</sup> June.	Continuous	15,000/-
2	To maintain records of BMW material delivered to CBMWTSDF	Continuous	10,000/-
II	<b>Performance</b>		
1	To install STP/ETP for treatment of effluent.	Three	2,00,000/-
		Total	2,75,000/-
Rupees Two Lakhs Seventy Five only			

Note : You shall submit the B.G. valid for additional 4 month period after the validity of your granted CCA.



*R. Saalav*

**PRINCIPAL  
SUMANTA WASNIK  
INSTITUTE OF NURSING  
NAGPUR**

M/s. Dr. Barhale Medical Centre Pvt. Ltd., Aurangabad



11

**Schedule-V**  
**General Conditions**

The following general conditions shall apply as per the type of the industry

- 1) You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) You should monitor effluent quality, stack emissions, noise and ambient air quality quarterly.
- 3) You shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 4) Whenever due to any accident or other unforeseen act or even such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 5) You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 6) You shall submit, the Environmental Statement Report for the financial year ending 31<sup>st</sup> March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 to Regional Office, Aurangabad, the 30<sup>th</sup> day of September every year.
- 7) You shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW Rules 2016, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 8) You shall comply with the Hazardous Waste Rules, 2016 and submit the Annual Returns to RO- Aurangabad as per Rule Hazardous Waste Rules, 2016 for the preceding year April to March in Form-IV by 30<sup>th</sup> June of every year.
- 9) An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
- 10) You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website ([www.mpcb.gov.in](http://www.mpcb.gov.in)).



M/s. Dr. Barhale Medical Centre Pvt. Ltd., Aurangabad

*Sumanta Wasnik*  
PRINCIPAL  
SUMANTA WASNIK Page 8 of 9  
INSTITUTE OF NURSING



- 11) You shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
- 12) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 13) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
- 14) You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 15) You should not cause any nuisance in surrounding area.
- 16) You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 17) You shall maintain good housekeeping.
- 18) You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement to Regional Office, Aurangabad by 30th September every year on available open plot area, number of trees surviving as on 31<sup>st</sup> March of the year and number of trees planted by September end.
- 19) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 20) You shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. You will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 21) You shall submit Six Monthly statement in respect of obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
- 22) You shall submit official e-mail address and any change will be duly informed to the MPCB, forthwith.
- 23) You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended
- 24) You shall observe provisions of E-waste (Management and Handling) Rules 2011 and Battery Waste (Management and Handling) Rules 2001, as amended.

-----0000-----

M/s. Dr. Barhale Medical Centre Pvt. Ltd., Aurangabad



*[Handwritten Signature]*  
*[Handwritten Name]*

**PRINCIPAL**  
**SUMANTA WASNIK**  
**INSTITUTE OF NURSING**  
 NAGPUR



Section 8  
See Rule 16



48 - A  
Annexure II

# Renewal of License For Psychiatric Hospital / Nursing Home

I Dr. SADHANA TAYADE Director of Health Services, Maharashtra State Mumbai by the authority vested in by the State Mental Health Authority vide Government Notification PHD No.MIS-1088/CR-188/PH-3 Dt. 29th March 1995 under section 8 of Mental Health Act 1987 hereby declare that I am satisfied after inspection of Shanti Nursing Home & Barchale Medical Centre Pvt. Ltd.

I hereby allow *renewal of license* for the Psychiatric Hospital/Nursing Home by Dr. Vinay Lakshmikant Barchale At Shanti Nursing Home Kancharwadi Prithan road, Aurangabad Tel No. ....  
From 28/11/2019 till 27/11/2024  
License No. 45/2019

SEAL



*R. Sadhan*

PRINCIPAL  
SUMANTA WASNIK  
INSTITUTE OF NURSING  
NAGPUR

Place : MUMBAI  
Date :

*W 24/6*  
Licensing Authority  
Government of Maharashtra