

Date- 28/04/2022

To,

The Chairman

Sumantai Wasnik Institute of Nursing

Nagpur.

Subject: Regarding providing affiliation to your nursing college for the clinical training of nursing students.

Respected Sir/ Madam,

I am pleased to inform you that our hospital is hereby giving affiliation to your college for clinical posting of Basic B.Sc. Nursing students for the academic year 2022-2023 and 2023-2024.

This is for your information

With warm regards



Mr. Laneesh K. Jose

Nursing Superintendent,

Nelson Hospital



Nagpur

Nelson Hospital

(Formerly, known as Central India's Child Hospital and Research Institute)

Plot No.: 32, Behind Hitavada Press, Dhantoli, Nagpur - 440012. Contact No.: 0712 - 2432000, 2433000, 2434000

Emergency No.: 7507701177 E-mail : info@nelsonhospitals.com Website : www.nelsonhospitals.com

 facebook.com/nelsonhospitals  twitter.com/nelsonhospitals





Hospital

MEMORANDUM OF UNDERSTANDING



ISO 9001:2015 Certified

{Academic year 2022-2023 and 2023-2024}

The memorandum of understanding is made in Nagpur on April 28, 2022 between chairman of Sumantai Wasnik Institute of Nursing, Shivpriya Nagar opp.Ganesh Nagar,Dabha, Nagpur-440023 of the ONE PART

AND

Nelson Hospital, Dhantoli, Nagpur-440012 that offer healthcare services and have a dedicated team of specialists. **OTHER PART**

Whereas

Sumantai Wasnik Institute Of Nursing. Shivpriya Nagar opp Ganesh Nagar,Dabha,Nagpur - 440023 of ONE PART is affiliated to Maharashtra university of health science, Nashik. Recognized by Indian Nursing Council, New Delhi and Maharashtra nursing council Mumbai has asked for clinical training of its B.BSc nursing students, including their university practical at **Nelson Hospital,Dhantoli,Nagpur**, throughout their academic session

AND

whereas **Nelson Hospital, Dhantoli, Nagpur**, has expressed their consent and interest to permit for their clinical training including university practical exam at **Nelson Hospital, Dhantoli, Nagpur**.

The terms and conditions of agreement for permission will be as given below.

1. The agreement will be valid for the period of two years for the date of agreement subject to renewal after every academic year.
2. The students will have to abide by the code of conduct of the hospital.
3. The students will be posted at the hospital with prior information to the hospital authority.
4. The college will utilize the hospital facility doe clinical training its students throughout each academic year.
5. No patient details will used for any other purpose other than academic use of students of the party no 1.institute.

Nelson Hospital

(Formerly, known as Central India's Child Hospital and Research Institute)
Plot No.: 32, Behind Hitavada Press, Dhantoli, Nagpur - 440012. Contact No.: 0712 - 2432000, 2433000, 2434000
Emergency No.: 7507701177 E-mail : info@nelsonhospitals.com Website : www.nelsonhospitals.com

facebook.com/nelsonhospitals twitter.com/nelsonhospitals



6. The hospital reserve the right to discontinue any student and take disciplinary action as deemed fit for the action and misconduct performed during the course of training at **NELSON HOSPITAL , DHANTOLI, NAGPUR.**
7. The clinical training in no way should harm any admitted patient or cause any discomfort of any nature to the patient.
8. The confidentiality of patients and patient's right to be adhered to during the course of students training.
9. The college shall pay @ RS 1000 per student to the hospital for clinical training.
10. The association is purely for academic purpose only.

Dipti Wasnik Saxena

Dipti Wasnik Saxena
Chairman
Sumantai Wasnik Institute of nursing

CHAIRMAN
INDIAN YOUTH WELFARE
MULTIPURPOSE SOCIETY
NAGPUR.

Sare

Administrative Officer
Nelson Hospital
Dhantoli, Nagpur

NAGPUR MUNICIPAL CORPORATION, NAGPUR

(HEALTH DEPARTMENT)



FORM-C

Certificate of Registration under Section 5 of Bombay Nursing Home
Registration Act, 1949 (rule 5)

Nursing Home Registration Certificate

This is to certify that Shri/Smt. Mr. MAHENDRA R. THAKUR (DIRECTOR) has been registered under the Bombay Nursing Home Registration Act 1949, in respect of NELSON MOTHER & CHILD CARE HOSPITAL (A UNIT OF SMD HOSPITALS PVT. LTD.) situated at PLOT NO. 32, BEHIND HITAVADA, BESIDES SPANDAN HOSPITAL, DHANTOLI, NAGPUR and has been authorized to carry on the said nursing home.

Registration No : 995

Maternity : 13 Beds

Date of Registration : 26/04/2018

Other Nursing : 51 Beds

Place : Nagpur

Date of issue of certificate : 01/04/2021

This certificate of registration shall be valid up to 31st March 2024.



(Dr. Sanjay Chilkar)

Registering Authority

Health Officer

Nagpur Municipal Corporation

This Certificate of Registration should be displayed at prominent place.

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: <http://mpcb.gov.in>
Email: psa@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

ORANGE/L.S.I

Date: 02/09/2022

No:- Format1.0/PSO/UAN No.0000130520/CR/2209000122

To,
NELSON MOTHER & CHILD CARE HOSPITAL
(A UNIT OF SMD HOSPITAL PVT LTD)
PLOT NO. 32, DHANTOLI,
Nagpur-440012
Email: archanathakre02@gmail.com
Contact No.: 9850360155



Your Service is Our
Duty

Renewal of Combined Consent and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:**
1. Your CCA renewal application submitted to MPCB, HQ, Sion, Mumbai on 31.03.2022.
 2. SCN for refusal of application dated 20.04.2022.
 3. Reply to SCN for refusal of application uploaded by you on 29.04.2022.
 4. Required information uploaded by you on 22, 24 & 28.06.2022, 06.07.2022 and 08, 18.08.2022.
 5. Penal fees & additional BMW Authorization fees submitted by you on 10 & 17.08.2022.
 6. JVS analysis report of SRO, Nagpur - I collected on 06.07.2022.

After examining the proposal, The Maharashtra Pollution Control Board hereby Renew Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Authorization under Rule 5 of the Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedules(I-IV) and Annexures (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **01-02-2022** To **31-01-2024**
2. The capital investment of the HCF is **₹4589.72** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 9926.00 M² with Built-up area 3587.00 M².
4. **Activities Included**
 - a. Total Number of Beds : **79 Nos.** (As per BNH certificate no. 995 valid upto 31-03-2024)
 - I. General Beds : **66 Nos**
 - II. Maternity Beds : **13 Nos**

5. Conditions under the Water (P&CP) Act, 1974:-

1. Quantity of total water consumption shall not exceed 50.00 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act, 1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDf and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1		Biological sludge	2	Kg/Day	for gardening

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Superb Hygienic Disposals, Nagpur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. Penal fees for delay in submission of application of Rs. 2,46,575.00 submitted by you has been received by MPCB on 17.08.2022 .
18. As per the JVS Report submitted by SRO, Nagpur - I sample collected on 06.07.2022 is found BOD & COD parameters exceeded the CCA limit. Hence, Bank Guarantee of Rs. 50,000/- for Operation & Maintenance of STP is eligible to forfeit & imposed double Bank Guarantee of Rs. 1.0 lakhs and shall submit to Regional Office, Nagpur within 15 days.
19. You shall submit separate Bank Guarantee of Rs. 1.50 lakhs towards compliance of condition mentioned at schedule - III to Regional Office, Nagpur within 15 days.
20. You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, Nagpur for verification purpose.



Generated by Print2Data
71786ccb
7087f928
337d1bca
2bc5230e
3e3342f7
0d187679
9726b2a7
091efc70

Signed by: Dr. Amar R. Supate
Principal Scientific Officer
For and on behalf of,
Maharashtra Pollution Control Board
pso@mpcb.gov.in
2022-09-02 13:12:08 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	300000.00	TXN2202000204	02/02/2022	Online Payment
2	50000.00	TXN2203001364	10/03/2022	Online Payment
3	50000.00	TXN2206003272	29/06/2022	Online Payment
4	5000.00	TXN2208001176	10/08/2022	Online Payment
5	246575.00	TXN2208001791	17/08/2022	Online Payment
6	15000.00	TXN2202000876	07/02/2022	Online Payment

You have submitted total fees of Rs. 4.20 lakhs from which 1.65 lakhs is considered for this application and remaining fees of Rs. 2.35 lakhs will be considered at the time of next application.

Copy to:

1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer, MPCB, Nagpur I
- - They are directed to ensure the compliance of the consent conditions.
SRO They are directed to ensure the compliance of the consent conditions.
2. Cheif Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

Annexure - I

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	23.00
2.	Domestic purpose	23.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	4.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	20	As per clause 'C'	100% Recycle
2	Trade effluent	3	As per clause 'C'	100% Recycle

- C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	DG set 500 KVA	HSD	25.00 Kg/Hr	1.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

Authorization for Management of Bio-Medical Waste (Category and Quantity)

SCHEDULE-I

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	20.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	160.00		
		d) Expired or Discarded Medicines	3.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	15.00	Autoclave safe plastic bags or containers.	Pre-treat to sterilize with nonchlorinated chemicals on-site as per National AIDS Control Organisation or World Health Organisation guidelines thereafter sent to BMW-CTF for Incineration.
2	Red	Contaminated waste (Recyclable)	250.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
3	White (Translucent)	Waste sharps including Metals	15.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
4	Blue	a) Glassware	0.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Metallic body implants	0.00		

Responsibilities of the CTF Operator of the Facility

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Superb Hygienic Disposals, Nagpur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Nagpur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	100,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTF	Continuous	10,000.00
Total			1,50,000.00

Note: You shall extend the above submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.

General Conditions

SCHEDULE-IV

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Nagpur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.
